

RESULT LIST

10 results found in the Worldwide database for:

light and field and scene and layer in the title or abstract

(Results are sorted by date of upload in database)

- 1 **METHODS AND SYSTEMS FOR DISPLAYING THREE-DIMENSIONAL IMAGES**
Inventor: NAYAR SHREE K [US] ; ZOMET ASAF [US]
EC: H04N13/00S4V
Publication info: **US2008239066 (A1)** — 2008-10-02
Applicant: THE TRUSTEES OF COLUMBIA UNIVERSITY IN THE CITY OF NEW YORK
IPC: **H04N13/04; H04N5/91; H04N13/04; (+1)**
- 2 **IMPROVEMENTS IN OR RELATING TO DEVICES FOR THE STORAGE OF INFORMATION**
Inventor: SMITH ROBIN WYNCLYFFE
EC: G01S7/28B; G06E3/00A1; (+3)
Publication info: **GB1207958 (A)** — 1970-10-07
Applicant: NAT RES DEV [GB]
IPC: **G01S7/28; G06E3/00; G06K9/74; (+7)**
- 3 **VIRTUAL IMAGE OPTICAL SYSTEM SUITABLE FOR SIMULATORS AND TRAINERS**
Inventor:
EC: F41G3/26C2; G09B9/32
Publication info: **GB1247557 (A)** — 1971-09-22
Applicant: GOODYEAR AEROSPACE CORP [US]
IPC: **F41G3/26; G09B9/32; F41G3/00; (+2)**
- 4 **Organic glass artistic decorative board**
Inventor: SHAO XINLONG [CN]
EC:
Publication info: **CN2271162 (Y)** — 1997-12-24
Applicant: SHAO XINLONG [CN]
IPC: **B44C1/00; B44F1/04; B44C1/00; (+3)**
- 5 **OPTOELECTRONIC CAMERA**
Inventor: GI SERJUTTI-MAORI [FR] ; ZHAN-FILIP SHELSEL [FR]
EC: G01J3/28D
Publication info: **RU2110048 (C1)** — 1998-04-27
Applicant: AEHROS PAS JAL SOS ETE NAS ONAL [FR]
IPC: **G01J3/28; G01J3/28; (IPC-1-7): G01J3/28**
- 6 **Liquid crystal light valve goggles for eye protection.**
Inventor: EFRON UZI [US] ; WU SHIN-TSON [US] (+2)
EC: A61F9/02F2; A61F9/06F2
Publication info: **EP0436845 (A1)** — 1991-07-17
Applicant: HUGHES AIRCRAFT CO [US]
IPC: **A61F9/02; A61F9/06; G02F1/135; (+4)**
- 7 **METHOD AND APPARATUS FOR FORMING COLOUR IMAGES**
Inventor:
EC: H04N9/07
Publication info: **GB1493307 (A)** — 1977-11-30
Applicant: OPTISCHE IND DE OUDE DELFT NV
IPC: **G01J3/46; G01J3/50; H04N9/07; (+4)**
- 8 **TELEVISION MESSAGE TRANSMISSION SYSTEM**
Inventor:
EC: H04N1/00B2; H04N1/64; (+1)
Publication info: **GB1386283 (A)** — 1975-03-05
Applicant: INT STANDARD ELECTRIC CORP
IPC: **H04N1/00; H04N1/64; H04N7/087; (+8)**
- 9 **Processes of multicolour photographic reproduction**
Inventor:
EC:
Applicant: JOSEPH ARTHUR BALL
IPC:

Publication info: **GB694421 (A)** — 1953-07-22

**Improvements in or relating to stereoscopic television
cinematograph and like systems**

Inventor:

Applicant: EISLER PAUL ; FRITZ PEVNY

EC:

IPC:

Publication info: **GB472562 (A)** — 1937-09-27

.....
Data supplied from the **esp@cenet** database — Worldwide

RESULT LIST

Approximately 100 results found in the Worldwide database for:
light and field and background and layer in the title or abstract
(Results are sorted by date of upload in database)

- 1 **No title available**
Inventor: **Applicant:**
EC: **IPC:** C08G61/02; C08G61/00
Publication info: CN101429274 (A) — 2009-05-13
- 2 **MONOCHROMATIC FIELD SEQUENTIAL LIQUID CRYSTAL DISPLAY**
Inventor: LAZARIDIS MIHAL [CA] ; LOWLES **Applicant:**
ROBERT J [CA] (+1)
EC: G09G3/34B2 **IPC:** G09G3/36; G09G3/36
Publication info: US2008042966 (A1) — 2008-02-21
- 3 **Back ground light source device with light-emitting diode**
Inventor: JULAN XIE [CN] **Applicant:** JULAN XIE [CN]
EC: **IPC:** F21S2/00; F21S6/00; F21V33/00; (+6)
Publication info: CN201014243 (Y) — 2008-01-30
- 4 **Background illumination by Non-Electrical Energy Sources**
Inventor: STAIGER HOLGER [DE] **Applicant:**
EC: F21K2/06 **IPC:** F21K2/06; F21K2/00
Publication info: US2008013301 (A1) — 2008-01-17
- 5 **Soft linear LED light source**
Inventor: LI JIANSHENG [CN] **Applicant:** LI JIANSHENG [CN]
EC: **IPC:** F21S4/00; F21V15/02; F21V31/00; (+6)
Publication info: CN200952660 (Y) — 2007-09-26
- 6 **Improved method for relief printing prepress production process**
Inventor: JIA BAOGUO [CN] **Applicant:** IMPROVE TIANJIN PRINTING CO LT [CN]
EC: **IPC:** B41M1/02; B41C1/10; G03F7/00; (+3)
Publication info: CN101054033 (A) — 2007-10-17
- 7 **Diffractive security element comprising a half-tone picture**
Inventor: SCHILLING ANDREAS [CH] ; **Applicant:** OVD KINEGRAM AG [CH]
TOMPKIN WAYNE R [CH]
EC: B42D15/00C **IPC:** G02B5/18; B42D15/00; B42D15/10; (+3)
Publication info: US2007183045 (A1) — 2007-08-09
- 8 **METHOD FOR EXPRESS ASSESSMENT OF HUMAN BODY STATE**
Inventor: SENIUK MYKHAILO **Applicant:** SENIUK MYKHAILO
VOLODYMYROVYCH [UA] **IPC:** VOLODYMYROVYCH [UA]
EC: **IPC:**
Publication info: UA22080 (U) — 2007-04-10
- 9 **Full-colour field reflecting type screen**
Inventor: YOU SILONG [CN] **Applicant:** YOU SILONG [CN]
EC: **IPC:** G03B21/60; H04N5/74; G03B21/60; (+1)

Publication info: **CN1949078 (A)** — 2007-04-18

Field quick monitoring method for wheat nitrogen content and seed protein quality based on high light spectrum

Inventor: LI SHAO KUN LU [CN]

Applicant: LI SHAO KUN [CN]

EC:

IPC: **G01N21/31; G01N21/17; G06F19/00; (+3)**

Publication info: **CN1900695 (A)** — 2007-01-24

Canvas with nanometer colorful coat layer

Inventor: SONG JIAN SONG [CN]

Applicant: SONG JIAN [CN]

EC:

IPC: **B44D3/18; B44D3/18**

Publication info: **CN2808612 (Y)** — 2006-08-23

Combined canvas with light-reflecting coat layer

Inventor: SONG JIAN SONG [CN]

Applicant: SONG JIAN [CN]

EC:

IPC: **B44D3/18; B44D3/18**

Publication info: **CN2808611 (Y)** — 2006-08-23

SEMI CONDUCTOR LASER AND OPTICAL DISK APPARATUS

Inventor: TAKEYA MOTONOBU ; ICHINOKURA KEIJI (+3)

Applicant: SONY CORP

EC:

IPC: **H01S5/323; H01S5/00**

Publication info: **JP2006114811 (A)** — 2006-04-27

PROTECTIVE ELEMENT

Inventor: SHTAUB RENE [CH] ; TOMPKIN

Applicant:

UEHJN ROBERT [CH] (+1)

EC: **B42D15/00C; B42D15/10**

IPC: **B42D15/00; B42D15/10; G02B5/18; (+5)**

Publication info: **RU2255000 (C1)** — 2005-06-27

Reflectance-matching layer for cholesteric display having dye layer and reflective conductors

Inventor: STEPHENSON STANLEY W III [US] ; KILBURN JOHN I [US] (+1)

Applicant: EASTMAN KODAK CO

EC: **G02F1/1335F1; G02F1/137C**

IPC: **G02F1/1335; G02F1/137; G02F1/13; (+1)**

Publication info: **US2005253987 (A1)** — 2005-11-17

RESULT LIST

Approximately 38 results found in the Worldwide database for:
light and frame and background and layer in the title or abstract
(Results are sorted by date of upload in database)

- 1 **Novel advertisement lamp box**
Inventor: LEI YOU [CN] Applicant: SHANGHAI EDGE LIGHT INDUSTRY C [CN]
EC: IPC: *G09F13/10; B43L1/00; G09F25/00*; (+3)
Publication info: **CN201247568 (Y)** — 2009-05-27
- 2 **Advertisement lamp house**
Inventor: LEI YOU [CN] Applicant: SHANGHAI EDGE LIGHT INDUSTRY C [CN]
EC: IPC: *G09F13/10; B43L1/00; G09F25/00*; (+3)
Publication info: **CN201247567 (Y)** — 2009-05-27
- 3 **Light fitting**
Inventor: XUNFU LIANG [CN] Applicant: XUNFU LIANG [CN]
EC: IPC: *F21V1/02; F21V1/14; F21V3/02*; (+4)
Publication info: **CN201225562 (Y)** — 2009-04-22
- 4 **Folding shot box**
Inventor: BIGUANG LIN [CN] Applicant: BIGUANG LIN [CN]
EC: IPC: *G03B15/06; G03B15/07; G03B15/02*
Publication info: **CN201156141 (Y)** — 2008-11-26
- 5 **Advertisement lamp house with visual flourishing effect and method for making same**
Inventor: MINGJIE GUO [CN] Applicant: SHANGHAI JIEPAI DISPLAY PRODUC [CN]
EC: IPC: *G09F13/00; G09F13/22; G09F13/00*; (+1)
Publication info: **CN101192360 (A)** — 2008-06-04
- 6 **LED DYNAMIC LAMP BOX AND THE METHOD FOR MAKING THE SAME**
Inventor: GUO MINGJIE [CN] Applicant: SHANGHAI JUMP DISPLAY PRODUCT [CN]; GUO MINGJIE [CN]
EC: *G09F9/33; G09F13/18* IPC: *G09F13/00; G09F9/33; G09F13/00*; (+1)
Publication info: **WO2008064574 (A1)** — 2008-06-05
- 7 **An advertisement box for realizing flickering effect based on LED light source**
Inventor: MINGJIE GUO [CN] Applicant: SHANGHAI JIAPAI DISPLAY PRODUC [CN]
EC: IPC: *G09F13/00; G09F19/12; G09F13/00*; (+1)
Publication info: **CN201041719 (Y)** — 2008-03-26
- 8 **DECORATING MEMBER, AND AIRBAG DEVICE EQUIPPED WITH DECORATING MEMBER**
Inventor: SASAKI KO; SHIMAZAKI YOSHIO Applicant: ASHIMORI IND CO LTD
EC: IPC: *B60R13/00; B60R21/20; B60R13/00*; (+1)
Publication info: **JP2007314135 (A)** — 2007-12-06
- 9 **LIQUID CRYSTAL DISPLAY ELEMENT AND METHOD FOR DRIVING LIQUID CRYSTAL DISPLAY ELEMENT**
Inventor: IWAMOTO NOBUHISA Applicant: STANLEY ELECTRIC CO LTD

- EC: IPC: *G02F1/1347; G02F1/133; G02F1/1335; (+12)*
 Publication info: **JP2007199158 (A)** — 2007-08-09
- 1 0 **LIQUID CRYSTAL DISPLAY ELEMENT AND METHOD FOR DRIVING LIQUID CRYSTAL DISPLAY ELEMENT**
 Inventor: IWAMOTO NOBUHISA Applicant: STANLEY ELECTRIC CO LTD
 EC: IPC: *G02F1/13357; G02F1/133; G02F1/1335; (+10)*
 Publication info: **JP2007199157 (A)** — 2007-08-09
- 1 1 **Composite 3D three-dimensional figure picture**
 Inventor: HONGYI LI ZUYANG YANG [HK] Applicant: LI ZUYANG [HK]
 EC: IPC: *G02B27/22; G02B27/22*
 Publication info: **CN2927091 (Y)** — 2007-07-25
- 1 2 **DISPLAY DEVICE OF ELECTRONIC PRODUCT AND MANUFACTURING METHOD THEREOF**
 Inventor: BAE JONG SOON Applicant: EKOLITE CO LTD
 EC: H01H9/18C IPC: *G06F3/02; H01H9/18; G06F3/02; (+2)*
 Publication info: **KR100411518 (B1)** — 2003-12-04
- 1 3 **Infrared and visible light image fusion method based on regional property fuzzy**
 Inventor: LIU GANG HUANG [CN] Applicant: SHANGHAI POWER COLLEGE [CN]
 EC: IPC: *G06T5/00; G06T5/00*
 Publication info: **CN1822046 (A)** — 2006-08-23
- 1 4 **Canvas with nanometer colorful coat layer**
 Inventor: SONG JIAN SONG [CN] Applicant: SONG JIAN [CN]
 EC: IPC: *B44D3/18; B44D3/18*
 Publication info: **CN2808612 (Y)** — 2006-08-23
- 1 5 **Combined canvas with light-reflecting coat layer**
 Inventor: SONG JIAN SONG [CN] Applicant: SONG JIAN [CN]
 EC: IPC: *B44D3/18; B44D3/18*
 Publication info: **CN2808611 (Y)** — 2006-08-23

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 0

[Clear](#)**Text Search**

For 'Number Search', please click on the right button.

[Number Search](#)

Applicant, Title of invention, Abstract — e.g. computer semiconductor

Please input a SPACE between each keyword when you use more than one keyword.

One letter word or Stopwords are not searchable.

[AND](#)

AND

[OR](#)

AND

[AND](#)

AND

Date of publication of application — e.g. 19980401 - 19980405

 -

AND

IPC — e.g. D01B7/04 A01C11/02

Please input a SPACE between each IPC symbol, when you use more than one IPC symbol.

[Search](#)[Stored data](#)

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 3

[Index Indication](#)[Clear](#)[Text Search](#)

For 'Number Search', please click on the right button.

[Number Search](#)

Applicant, Title of invention, Abstract -- e.g. computer semiconductor

Please input a SPACE between each keyword when you use more than one keyword.

One letter word or Stopwords are not searchable.

[AND](#)

AND

[OR](#)

AND

[AND](#)

AND

Date of publication of application -- e.g. 19980401 - 19980405

 -

AND

IPC -- e.g. D01B7/04 A01C11/02

Please input a SPACE between each IPC symbol, when you use more than one IPC symbol.

[Search](#)[Stored data](#)

No.	Publication No.	Title
1.	<u>2006 - 006182</u>	RAISED TYPE SUBSOIL-FURROWED SOIL LAYER-IMPROVING IMPLEMENT
2.	<u>07 - 321407(1995)</u>	RESIN-SEALED LASER DIODE DEVICE
3.	<u>01 - 302091(1989)</u>	REFRIGERATOR